

Hepatitis A+B

Are you on regular medication?

→ An anticoagulant (except aspirin)?*

→ Cortisone (≥20mg/d, or prednisone, or equivalent)?*
 → Medication that weakens your immune defense?*

→ Other medication, namely:

Do you regularly take:

Date:	File number (from online tool)
nation	

Triage questionnaire on the hepatitis A+B vaccination administered by pharmacists

Information about the hepatitis A+B vaccination Target group: For individuals from 16 years with an increased risk of exposure, complications and/or transmission for whom there is an indication for vaccination against hepatitis A and hepatitis B. Hepatitis A: E.g. people from 16 years in contact with at-risk individuals, or people travelling to countries with a moderate/high level of endemicity. E.g. health care professionals and anyone in contact with at-risk individuals. Hepatitis B: Catch-up vaccinations for adults (aged 16 years and above), no age limit, unless there is no risk of exposure (3 doses at 0, 1, and 6 months). Customer's personal details Last name: First name: Date of birth: Customer number: Address: Postcode: Town: Telephone number (optional): E-mail (optional): **Medical history** → please see the cantonal regulations Temporary exclusion criteria YES NO If "yes" → postpone vaccination Do you feel unwell? Have you had fever in the past 48 hours? **Exclusion criteria** YES NO If "yes" for at least one question with "★" → particular vaccination risk (medical assessment recommended; **ZH**: Referral to the doctor) Are you allergic: → To any medication? → To an ingredient of the vaccine?* Have you ever experienced serious side effects during or after a vaccination?* Are you pregnant?* Are you immunocompromised or do you have an immune disorder?* Are you at increased risk of bleeding (e.g. a hereditary condition)?*



Are you currently undergoing regular medical check-ups? Have you ever fainted during a vaccination or venipuncture to draw a blood sample, or have you become nauseous?		NO
Medical prescription Prescription available for the vaccination? (e.g. in the case of a particular vaccination risk or for cantons that only authorise the vaccination on prescription)	YES	NO
Existing underlying diseases		
Please see the cantonal regulations; information provided voluntarily	YES	NO
If yes, which one? High blood pressure		
About the hepatitis A+B vaccination	YES	NO
About the hepatitis A+B vaccination Have you been previously vaccinated against hepatitis A+B? (Vaccination scheme from 16 years of age: 3 doses at 0, 1 and 6 months)	YES	NO
Have you been previously vaccinated against hepatitis A+B? (Vaccination scheme from 16 years of age: 3 doses at 0, 1 and 6 months) Which dose is to be administered today? 1st dose 2nd dose (at least one month after the first vaccination) 3rd dose (at least six months after the first vaccination) Additional information about the hepatitis A+B vaccination	YES	NO
Have you been previously vaccinated against hepatitis A+B? (Vaccination scheme from 16 years of age: 3 doses at 0, 1 and 6 months) Which dose is to be administered today? 1st dose 2nd dose (at least one month after the first vaccination) 3rd dose (at least six months after the first vaccination)	YES	NO
Have you been previously vaccinated against hepatitis A+B? (Vaccination scheme from 16 years of age: 3 doses at 0, 1 and 6 months) Which dose is to be administered today? 1st dose 2nd dose (at least one month after the first vaccination) 3rd dose (at least six months after the first vaccination) Additional information about the hepatitis A+B vaccination Information provided voluntarily	YES	NO
Have you been previously vaccinated against hepatitis A+B? (Vaccination scheme from 16 years of age: 3 doses at 0, 1 and 6 months) Which dose is to be administered today? 1st dose 2nd dose (at least one month after the first vaccination) 3rd dose (at least six months after the first vaccination) Additional information about the hepatitis A+B vaccination Information provided voluntarily Was the last hepatitis A+B vaccination administered At the pharmacy? At the family physician's? At the hospital	YES	NO
Have you been previously vaccinated against hepatitis A+B? (Vaccination scheme from 16 years of age: 3 doses at 0, 1 and 6 months) Which dose is to be administered today? 1st dose 2nd dose (at least one month after the first vaccination) 3rd dose (at least six months after the first vaccination) Additional information about the hepatitis A+B vaccination Information provided voluntarily Was the last hepatitis A+B vaccination administered At the pharmacy? At the family physician's? At the hospital Other?	YES	NO
Have you been previously vaccinated against hepatitis A+B? (Vaccination scheme from 16 years of age: 3 doses at 0, 1 and 6 months) Which dose is to be administered today? 1st dose 2nd dose (at least one month after the first vaccination) 3rd dose (at least six months after the first vaccination) Additional information about the hepatitis A+B vaccination Information provided voluntarily Was the last hepatitis A+B vaccination administered At the pharmacy? At the family physician's? At the hospital Other? Were you specifically motivated to vaccinate by the vaccination service in the pharmacy?	YES	NO

© pharmaSuisse 1/2020 | HEPATITIS A-



D Information about adverse effects and customer consent

Local reactions (redness, pain, swelling) at the injection site are common. Headaches, fatigue and fever occur less frequently. In addition, gastrointestinal symptoms such as diarrhoea, nausea, vomiting may occur.

If symptoms occur that you	are concerned a	bout, contact us or a doctor immediately.
	ofessionals) that a	mmendation for individuals who may come into contact with someone else's hepatitis B antibody titre test should be performed by a doctor 4 weeks after
able to discuss any ques	tions I had befo	nd confirm that I have been informed about the price of the injection. I was rehand with the pharmacist providing my vaccine injection. I have no gree to this vaccination being administered.
I agree to my data being	processed anor	nymously for statistical purposes.
With my signature, I con	firm that all the	data recorded in the questionnaire is correct and complete.
Place/Date:		Customer's signature:
E Details of the vaccina	ition process	
 Vaccination administered 	ed .	
		ncluding the batch number of the vaccine g the batch number of the vaccine
Name of vaccine:		Batch number of vaccine: Vaccine label
Comments on the vaccination	1:	
Vaccination not administration	tered because	
Customer feeling unweUnderlying disease/Bas		□ Particular vaccination risk (see Point B)□ Customer withdrew□ Vaccination not indicated for customer (target group)
Vaccination postponed		Referred to doctor
Approximate time required to	complete the qu	lestionnaire: minutes
Place/Date:	Signature of	f the responsible pharmacist:
Undesirable effect after vac	cination (immed	iate-onset reaction or following feedback from customer)
☐ Local reaction		Systemic reaction: Required contact with emergency care service Vaccination incident reported (pharmacovigilance, EIViS)
Description (including follow-	up):	
Date of feedback:		

This document must be kept for at least ten years or in accordance with cantonal regulations.

© pharmaSuisse 1/2020 | HEPATITIS A+B